

Subject Index for Volume 43, Materials Evaluation

- ASNT's Role in Certification, R. McGuire, No. 5, p 492
- Acoustic Emission Monitoring of a Filament-Wound Composite Rocket Motor Case during Hydroproof (Technical Note), E. v. K. Hill and T. J. Lewis, No. 7, p 859
- Acoustic Emission Source Location System, A Simple and Effective (Technical Note), M. Barsky and N. N. Hsu, No. 1, p 108
- Acoustic Emission Testing (1961-72), Necessity: The Mother of (NDT—The Yesteryears), A. T. Green, No. 6, p 600
- Acoustic Emission during Quasi-static Loading-Unloading Cycles of Filament-Wound Graphite-Epoxy Laminate Coupons, Monitoring, J. Awerbuch, M. R. Gorman, and M. Madhukar, No. 6, p 754
- Acoustic Emission during Deformation and Fracture of Three Naval Alloy Steels, J. T. Glass and R. E. Green, Jr., No. 7, p 864
- Acoustic Emission in the Machine Tool Industry, S. Vahavolos, No. 1, p 44
- Acoustic Emission, Inspection of Composite Rocket Motor Cases Using, D. J. McNally, No. 6, p 728
- Adhesion Degree in Layered Joints, Ultrasonic Evaluation of the, A. Pilarski, No. 6, p 765
- Aerospace Radiography—The Last Three Decades (Lester Honor Lecture), D. J. Hagemmaier, No. 10, p 1262
- Air Conditioner Tubing, Recent Developments in the Eddy Current Examination of, A. G. Julier, No. 13, p 1655
- Aircraft Corrosion and Detection Methods, D. J. Hagemmaier, A. H. Wendelbo, Jr., and Y. Bar-Cohen, No. 4, p 426
- Aircraft Skins, General Application of Eddy Current Instruments to Detect and Measure Corrosion in, J. Pellicer, No. 12, p 1542
- Aircraft, In-Service Nondestructive Inspection of Fighter and Attack, R. J. Lord, No. 6, p 733
- Alloy Steels, Acoustic Emission during Deformation and Fracture of Three Naval, J. T. Glass and R. E. Green, Jr., No. 7, p 864
- Alloys Used as Ultrasonic Couplants at High Temperature, Low-Melting, M. A. Mahmoud, No. 2, p 196
- Alternative Philosophy and Requirements for Certifying NDT Level III Personnel (Opinion Paper), J. C. Spanner, Sr., No. 11, p 1392
- Alternative for the Educational Growth of the NDT Technician, An (Robert B. Oliver Scholarship Paper), M. T. Getzke, No. 9, p 1090
- Aluminum, Amplitude Distribution Analysis for b-Value-Relationship to the Plasticity of 7075-T6, A. L. Phillips, V. G. Godinez, and S. W. Stafford, No. 4, p 420
- America's Past, Nondestructive Testing Sheds Light on Preserving, C. M. Berntson, No. 10, p 1180
- Amplitude Distribution Analysis for b-Value Relationship to the Plasticity of 7075-T6 Aluminum, A. L. Phillips, V. G. Godinez, and S. W. Stafford, No. 4, p 420
- Analysis of the Ultrasonic Frequency Response for Flaw Detection: A Technical Review (Technical Note), A. Sinclair, No. 1, p 105
- Analytical Ultrasonics for Evaluation of Composite Material Response, E. G. Henneke, II, and J. C. Duke, Jr., No. 6, p 740
- Application of Homomorphic Signal Processing to Stress Wave Factor Analysis, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 11, p 1446
- Arctic Petroleum Gathering Lines, Near Real-Time Radiologic Corrosion Monitoring of (Technical Note), P. W. Lott and J. Lott, No. 4, p 408
- Attenuation and Fracture Toughness in Type 403 Stainless Steel, On the Relation between Ultrasonic, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- Attenuation, Ultrasonic, E. R. Generazio, No. 8, p 995
- Automated Eddy Current Hole Measurements, E. J. Chern, No. 13, p 1644
- Ballistics, Flash X-Radiography in, M. Held, No. 9, p 1104
- Beryllium-window X-ray Units, A Quick and Accurate Method for the Selection of Filters for Use with (Back to Basics), D. McBride, No. 1, p 24
- Boiler Inspection, 1866-1947, The Development of (NDT—The Yesteryears), P. O. Moore, No. 7, p 800
- Boiler Waterwall Tubes, Inspection for Hydrogen Damage in (NDT Solution), G. A. Lamping, No. 10, p 1164
- Brick and Concrete Tunnels, FM Radar for Inspecting, O. Tranbarger, No. 10, p 1254
- Brief Look at the Low-energy Radiography of Composite Materials, A (Back to Basics), G. L. Becker, No. 6, p 596
- Calculator Programs for Ultrasonic Technicians, Three New (Notes on Basics), A. M. Wenzig, Jr., No. 9, p 1064
- Calibration Using the IIW Block, Indirect Shear-Wave Distance (Back to Basics), W. S. Burkle, No. 11, p 1374
- Capitol, Radiography Aids Renovation of, No. 10, p 1148
- Carbon Steel Tubing, Examination of (NDT Solution), S. Rowland, No. 11, p 1382
- Carbon-Epoxy Composites, Ultrasonic Inspection of, D. J. Hagemmaier and R. H. Fassbender, No. 5, p 556
- Ceramics, Microradiography to Characterize Structural, H. Berger and D. Kupperman, No. 2, p 201
- Certification around the World, G. Wheeler, No. 10, p 1198
- Certification, ASNT's Role in, R. McGuire, No. 5, p 492
- Certifying NDT Level III Personnel, Alternative Philosophy and Requirements for (Opinion Paper), J. C. Spanner, Sr., No. 11, p 1392
- Characterization of EDM Notches and Real Fatigue Cracks in Flat Surfaces Using the Uniform Field Eddy Current Technique, E. Smith, No. 13, p 1640
- Characterization of an Interference Fit, Ultrasonic, G. Mott and B. J. Taszarek, No. 8, p 990
- Cladding on Uranium under Conditions of Varying Lift-off,

Subject Index for Volume 43, Materials Evaluation

- ASNT's Role in Certification, R. McGuire, No. 5, p 492
- Acoustic Emission Monitoring of a Filament-Wound Composite Rocket Motor Case during Hydroproof (Technical Note), E. v. K. Hill and T. J. Lewis, No. 7, p 859
- Acoustic Emission Source Location System, A Simple and Effective (Technical Note), M. Barsky and N. N. Hsu, No. 1, p 108
- Acoustic Emission Testing (1961-72), Necessity: The Mother of (NDT—The Yesteryears), A. T. Green, No. 6, p 600
- Acoustic Emission during Quasi-static Loading-Unloading Cycles of Filament-Wound Graphite-Epoxy Laminate Coupons, Monitoring, J. Awerbuch, M. R. Gorman, and M. Madhukar, No. 6, p 754
- Acoustic Emission during Deformation and Fracture of Three Naval Alloy Steels, J. T. Glass and R. E. Green, Jr., No. 7, p 864
- Acoustic Emission in the Machine Tool Industry, S. Vahavolos, No. 1, p 44
- Acoustic Emission, Inspection of Composite Rocket Motor Cases Using, D. J. McNally, No. 6, p 728
- Adhesion Degree in Layered Joints, Ultrasonic Evaluation of the, A. Pilarski, No. 6, p 765
- Aerospace Radiography—The Last Three Decades (Lester Honor Lecture), D. J. Hagemmaier, No. 10, p 1262
- Air Conditioner Tubing, Recent Developments in the Eddy Current Examination of, A. G. Julier, No. 13, p 1655
- Aircraft Corrosion and Detection Methods, D. J. Hagemmaier, A. H. Wendelbo, Jr., and Y. Bar-Cohen, No. 4, p 426
- Aircraft Skins, General Application of Eddy Current Instruments to Detect and Measure Corrosion in, J. Pellicer, No. 12, p 1542
- Aircraft, In-Service Nondestructive Inspection of Fighter and Attack, R. J. Lord, No. 6, p 733
- Alloy Steels, Acoustic Emission during Deformation and Fracture of Three Naval, J. T. Glass and R. E. Green, Jr., No. 7, p 864
- Alloys Used as Ultrasonic Couplants at High Temperature, Low-Melting, M. A. Mahmoud, No. 2, p 196
- Alternative Philosophy and Requirements for Certifying NDT Level III Personnel (Opinion Paper), J. C. Spanner, Sr., No. 11, p 1392
- Alternative for the Educational Growth of the NDT Technician, An (Robert B. Oliver Scholarship Paper), M. T. Getzke, No. 9, p 1090
- Aluminum, Amplitude Distribution Analysis for b-Value-Relationship to the Plasticity of 7075-T6, A. L. Phillips, V. G. Godinez, and S. W. Stafford, No. 4, p 420
- America's Past, Nondestructive Testing Sheds Light on Preserving, C. M. Berntson, No. 10, p 1180
- Amplitude Distribution Analysis for b-Value Relationship to the Plasticity of 7075-T6 Aluminum, A. L. Phillips, V. G. Godinez, and S. W. Stafford, No. 4, p 420
- Analysis of the Ultrasonic Frequency Response for Flaw Detection: A Technical Review (Technical Note), A. Sinclair, No. 1, p 105
- Analytical Ultrasonics for Evaluation of Composite Material Response, E. G. Henneke, II, and J. C. Duke, Jr., No. 6, p 740
- Application of Homomorphic Signal Processing to Stress Wave Factor Analysis, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 11, p 1446
- Arctic Petroleum Gathering Lines, Near Real-Time Radiologic Corrosion Monitoring of (Technical Note), P. W. Lott and J. Lott, No. 4, p 408
- Attenuation and Fracture Toughness in Type 403 Stainless Steel, On the Relation between Ultrasonic, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- Attenuation, Ultrasonic, E. R. Generazio, No. 8, p 995
- Automated Eddy Current Hole Measurements, E. J. Chern, No. 13, p 1644
- Ballistics, Flash X-Radiography in, M. Held, No. 9, p 1104
- Beryllium-window X-ray Units, A Quick and Accurate Method for the Selection of Filters for Use with (Back to Basics), D. McBride, No. 1, p 24
- Boiler Inspection, 1866-1947, The Development of (NDT—The Yesteryears), P. O. Moore, No. 7, p 800
- Boiler Waterwall Tubes, Inspection for Hydrogen Damage in (NDT Solution), G. A. Lamping, No. 10, p 1164
- Brick and Concrete Tunnels, FM Radar for Inspecting, O. Tranbarger, No. 10, p 1254
- Brief Look at the Low-energy Radiography of Composite Materials, A (Back to Basics), G. L. Becker, No. 6, p 596
- Calculator Programs for Ultrasonic Technicians, Three New (Notes on Basics), A. M. Wenzig, Jr., No. 9, p 1064
- Calibration Using the IIW Block, Indirect Shear-Wave Distance (Back to Basics), W. S. Burkle, No. 11, p 1374
- Capitol, Radiography Aids Renovation of, No. 10, p 1148
- Carbon Steel Tubing, Examination of (NDT Solution), S. Rowland, No. 11, p 1382
- Carbon-Epoxy Composites, Ultrasonic Inspection of, D. J. Hagemmaier and R. H. Fassbender, No. 5, p 556
- Ceramics, Microradiography to Characterize Structural, H. Berger and D. Kupperman, No. 2, p 201
- Certification around the World, G. Wheeler, No. 10, p 1198
- Certification, ASNT's Role in, R. McGuire, No. 5, p 492
- Certifying NDT Level III Personnel, Alternative Philosophy and Requirements for (Opinion Paper), J. C. Spanner, Sr., No. 11, p 1392
- Characterization of EDM Notches and Real Fatigue Cracks in Flat Surfaces Using the Uniform Field Eddy Current Technique, E. Smith, No. 13, p 1640
- Characterization of an Interference Fit, Ultrasonic, G. Mott and B. J. Taszarek, No. 8, p 990
- Cladding on Uranium under Conditions of Varying Lift-off,

- Two-Frequency Eddy Current Instrument for Measuring the Thickness of Zircaloy*, J. M. Prince, L. D. Reid, and D. L. Lessor, No. 12, p 1562
- Codes and Standards for Radiographic Inspection and Experimental and Theoretical Studies on Unsharpness and Sensitivity Requirements, Comparison of*, H. Dölle and K. Lemmer, No. 2, p 188
- Color Vision Testing—Who Needs It? (Back to Basics)*, W. H. Bailey, No. 10, p 1194
- Comparison of Codes and Standards for Radiographic Inspection and Experimental and Theoretical Studies on Unsharpness and Sensitivity Requirements*, H. Dölle and K. Lemmer, No. 2, p 188
- Composite Material Inspection, Ultrasonic Wave Propagation Principles in (Back to Basics)*, J. L. Rose, No. 5, p 481
- Composite Material Response, Analytical Ultrasonics for Evaluation of*, E. G. Henneke, II, and J. C. Duke, Jr., No. 6, p 740
- Composite Materials, A Brief Look at the Low-energy Radiography of (Back to Basics)*, G. L. Becker, No. 6, p 596
- Composite Materials, Physically Based Ultrasonic Feature Mapping for Anomaly Classification in*, J. B. Nestleroth, J. L. Rose, M. Bashyam, and K. Subramanian, No. 5, p 541
- Composite Materials, Promising Quantitative Nondestructive Evaluation Techniques for*, J. H. Williams, Jr., and S. S. Lee, No. 5, p 561
- Composite Rocket Motor Cases Using Acoustic Emission, Inspection of*, D. J. McNally, No. 6, p 728
- Composite Rocket Motor Case during Hydroproof, Acoustic Emission Monitoring of a Filament-Wound (Technical Note)*, E. v. K. Hill and T. J. Lewis, No. 7, p 859
- Composite Tubular Parts, Ultrasonic and Thermographic Methods for Nondestructive Evaluation of*, A. J. Rogovsky, No. 5, p 547
- Composites (Back to Basics)*, F. A. Iddings, No. 5, p 480
- Composites Using the Automated Ultrasonic Scanning System (AUSS), Inspection of*, T. S. Jones, No. 6, p 746
- Composites, High-Resolution Imaging of Microcracks in*, T. J. Moran, R. L. Crane, and R. J. Andrews, No. 5, p 536
- Composites, Prototype of an In-Service Inspection System (ISIS) for*, F. H. Chang, J. R. Bell, J. L. Brown, and R. W. Haile, No. 9, p 1117
- Composites, Ultrasonic Inspection of Carbon-Epoxy*, D. J. Hagemmaier and R. H. Fassbender, No. 5, p 556
- Concrete Tunnels, FM Radar for Inspecting Brick and*, O. Tranbarger, No. 10, p 1254
- Contact Ultrasonic Testing, Magnetic Aids in (Notes on Basics)*, C. S. Hendzel, No. 9, p 1062
- Correlation Methods, Measurement of Ultrasonic Velocity Using Phase-Slope and Cross-*, D. R. Hull, H. E. Kautz, and A. Vary, No. 11, p 1455
- Corroded Materials, Inspection of (NDT Solution)*, A. S. Birring, No. 9, p 1054
- Corroded Objects, Gamma-Radiography of High-Temperature and (Technical Note)*, R. P. Krollicki, No. 8, p 1008
- Corrosion Monitoring of Arctic Petroleum Gathering Lines, Near Real-Time Radiologic (Technical Note)*, P. W. Lott and J. Lott, No. 4, p 408
- Corrosion and Detection Methods, Aircraft*, D. J. Hagemmaier, A. H. Wendelbo, Jr., and Y. Bar-Cohen, No. 4, p 426
- Corrosion in Aircraft Skins, General Application of Eddy Current Instruments to Detect and Measure*, J. Pellicer, No. 12, p 1542
- Cracks, Technique for Producing Test Plates with Fine Tight (Back to Basics)*, R. W. Kruzic and C. N. Sherlock, No. 9, p 1044
- Cross-Correlation Methods, Measurement of Ultrasonic Velocity Using Phase-Slope and*, D. R. Hull, H. E. Kautz, and A. Vary, No. 11, p 1455
- Determination of Thickness Variations by Measuring Film Densities on Two Adjacent Areas of a Radiograph (Back to Basics)*, P. Lahure, No. 4, p 354
- Development of Boiler Inspection, 1866-1947, The (NDT—The Yesteryears)*, P. O. Moore, No. 7, p 800
- Developments in Field X-Radiography, 1931-62 (NDT—The Yesteryears)*, H. Hovland, No. 11, p 1386
- Discontinuities Hidden Word Puzzle Answer*, W. J. Krizmanich, No. 1, p 80
- Discontinuities, Ultrasonic Identification of Weld (Notes on Basics)*, R. Wappel, No. 9, p 1060
- Discontinuity Sizes When Using Liquid Penetrant Testing, A Technique to Improve Validity in the Measurement of (Notes on Basics)*, L. C. Love, No. 9, p 1058
- Dynamic Analysis, Thermoelastic Inspection of Layered Materials*, P. Cielo, X. Maldague, G. Rousset, and C. K. Jen, No. 9, p 1111
- EDM Notches and Real Fatigue Cracks in Flat Surfaces Using the Uniform Field Eddy Current Technique, Characterization of*, E. Smith, No. 13, p 1640
- Eddy Current Data, Template Matching—An Approach for the Machine Sorting of*, S. D. Brown, No. 12, p 1553
- Eddy Current Examination of Air Conditioner Tubing, Recent Developments in the*, A. G. Julier, No. 13, p 1655
- Eddy Current Characterization of Temper Embrittlement, Problems in the*, W. G. Clark, Jr., and W. R. Junker, No. 12, p 1546
- Eddy Current Examination of Seam Weld in Steel Sheath, Multifrequency*, J. H. Smith, C. V. Dodd, and L. D. Chitwood, No. 12, p 1566
- Eddy Current Hole Measurements, Automated*, E. J. Chern, No. 13, p 1644
- Eddy Current Instrument for Measuring the Thickness of Zircaloy Cladding on Uranium under Conditions of Varying Lift-off, Two-Frequency*, J. M. Prince, L. D. Reid, and D. L. Lessor, No. 12, p 1562
- Eddy Current Instruments to Detect and Measure Corrosion in Aircraft Skins, General Application of*, J. Pellicer, No. 12, p 1542
- Eddy Current Probe Model, Ferrite Core: Description and Verification*, H. A. Sabbagh and S. N. Vernon, No. 2, p 184
- Eddy Current Standard Depth of Penetration*, D. J. Hagemmaier, No. 11, p 1458
- Eddy Current System for the Quality Evaluation of Hot Rods, An On-Line*, M. Cousin, No. 13, p 1649
- Eddy Current Technique, Characterization of EDM Notches and Real Fatigue Cracks in Flat Surfaces Using the Uniform Field*, E. Smith, No. 13, p 1640
- Eddy Current Testing of Steel Tubing, 1929-60 (NDT—The Yesteryears)*, W. A. Black, No. 12, p 1490
- Eddy Current Testing of Steel Tubing, 1929-60, Eddy Current Testing of (NDT—The Yesteryears)*, W. A. Black, No. 12, p 1490
- Eddy Current Testing, The Present and Future of (Back to Basics)*, R. C. McMaster, No. 12, p 1512
- Educational Growth of the NDT Technician, An Alternative for the (Robert B. Oliver Scholarship Paper)*, M. T. Getzke, No. 9, p 1090
- Electromagnetic Testing, The Origins of (NDT—The Yesteryears)*, R. C. McMaster, No. 8, p 946
- Embrittlement, Problems in the Eddy Current Characterization of Temper*, W. G. Clark, Jr., and W. R. Junker, No. 12, p 1546
- End-Plug Welds, Radiographic Detection of Tungsten Inclusions in Nuclear Fuel Pin*, J. P. Panakkal, K. N. Chandrasekharan, and J. K. Ghosh, No. 8, p 1005
- Etching for Localized Penetrant Inspection (Notes on Basics)*, R. W. Engelbart, No. 9, p 1062
- Examination of Carbon Steel Tubing (NDT Solution)*, S. Rowland, No. 11, p 1382
- FM Radar for Inspecting Brick and Concrete Tunnels*, O. Tranbarger, No. 10, p 1254
- Fatigue Cracks in Flat Surfaces Using the Uniform Field Eddy Current Technique, Characterization of EDM Notches and Real*, E. Smith, No. 13, p 1640

- Feature Mapping for Anomaly Classification in Composite Materials, Physically Based Ultrasonic*, J. B. Nestleroth, J. L. Rose, M. Bashyam, and K. Subramanian, No. 5, p 541
- Ferrite Core Eddy Current Probe Model: Description and Verification*, H. A. Sabbagh and S. N. Vernon, No. 2, p 184
- Field X-Radiography, 1931-62, Developments in (NDT—The Yesteryears)*, H. Hovland, No. 11, p 1386
- Filament-Wound Graphite-Epoxy Laminate Coupons, Monitoring Acoustic Emission during Quasi-static Loading-Unloading Cycles of*, J. Awerbuch, M. R. Gorman, and M. Madhukar, No. 6, p 754
- Film Densities on Two Adjacent Areas of a Radiograph, Determination of Thickness Variations by Measuring (Back to Basics)*, P. Lahure, No. 4, p 354
- Filters for Use with Be-window X-ray Units, A Quick and Accurate Method for the Selection of (Back to Basics)*, D. McBride, No. 1, p 24
- Fine Tight Cracks, Technique for Producing Test Plates with (Back to Basics)*, R. W. Kruzic and C. N. Sherlock, No. 9, p 1044
- Fishing for Fissures: Sources for the History of Rail Testing Cars, 1927-60 (NDT—The Yesteryears)*, J. M. Wickre, No. 4, p 372
- Fissures, Fishing for: Sources for the History of Rail Testing Cars, 1927-60 (NDT—The Yesteryears)*, J. M. Wickre, No. 4, p 372
- Fit, Ultrasonic Characterization of an Interference*, G. Mott and B. J. Taszarek, No. 8, p 990
- Flash X-Radiography in Ballistics*, M. Held, No. 9, p 1104
- Flaw Detection Model, Pulsed Ultrasonic*, S. Serabian and J. C. O'Callahan, No. 7, p 873
- Flaw Detection, Analysis of the Ultrasonic Frequency Response for: A Technical Review (Technical Note)*, A. Sinclair, No. 1, p 105
- Fracture Toughness in Type 403 Stainless Steel, On the Relation between Ultrasonic Attenuation and*, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- Fracture of Three Naval Alloy Steels, Acoustic Emission during Deformation and*, J. T. Glass and R. E. Green, Jr., No. 7, p 864
- Gamma-Radiographer of Pipeline Welds, A (NDT—The Yesteryears)*, P. O. Moore, No. 9, p 1084
- Gamma-Radiographic Inspection, The International System (SI) of Units in (Back to Basics)*, P. Lahure, No. 8, p 920; errata, No. 12, p 1484
- Gamma-Radiography of High-Temperature and Corroded Objects (Technical Note)*, R. P. Krollicki, No. 8, p 1008
- Gamma-Radiography: Technician Safety (Back to Basics)*, R. L. Miller, Jr., No. 7, p 806
- Gathering Lines, Near Real-Time Radiologic Corrosion Monitoring of Arctic Petroleum (Technical Note)*, P. W. Lott and J. Lott, No. 4, p 408
- General Application of Eddy Current Instruments to Detect and Measure Corrosion in Aircraft Skins*, J. Pellicer, No. 12, p 1542
- Graphite-Epoxy Laminate Coupons, Monitoring Acoustic Emission during Quasi-static Loading-Unloading Cycles of Filament-Wound*, J. Awerbuch, M. R. Gorman, and M. Madhukar, No. 6, p 754
- Head-Waves in Railroad Rail, Zero-Force Travel-Time Parameters for Ultrasonic (Technical Note)*, D. E. Bray and T. Leon-Salamanca, No. 7, p 854
- Hermit's Meditations—An Opinion Paper*, R. P. Krollicki, No. 11, p 1408
- High Temperature, Low-Melting Alloys Used as Ultrasonic Couplants at*, M. A. Mahmoud, No. 2, p 196
- High-Resolution Imaging of Microcracks in Composites*, T. J. Moran, R. L. Crane, and R. J. Andrews, No. 5, p 536
- High-Temperature and Corroded Objects, Gamma-Radiography of (Technical Note)*, R. P. Krollicki, No. 8, p 1008
- Holography Provides a Third Perspective*, No. 6, p 706
- Homomorphic Signal Processing to Stress Wave Factor Analysis, Application of*, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 11, p 1446
- Hot Rods, An On-Line Eddy Current System for the Quality Evaluation of*, M. Cousin, No. 13, p 1649
- Hydrogen Damage in Boiler Waterwall Tubes, Inspection for (NDT Solution)*, G. A. Lamping, No. 10, p 1164
- IIFW Block, Indirect Shear-Wave Distance Calibration Using the (Back to Basics)*, W. S. Burkle, No. 11, p 1374
- Imaging of Microcracks in Composites, High-Resolution*, T. J. Moran, R. L. Crane, and R. J. Andrews, No. 5, p 536
- Immersion Ultrasonic Testing, 1945-57, The Water's Fine: The Origin of (NDT—The Yesteryears)*, P. O. Moore, No. 1, p 60
- In Service, The Inspection of Wire Ropes: A Critical Review (Back to Basics and NDT Solution)*, H. R. Weischedel, No. 13, p 1592
- In-Service Inspection System (ISIS) for Composites, Prototype of an*, F. H. Chang, J. R. Bell, J. L. Brown, and R. W. Haile, No. 9, p 1117
- In-Service Nondestructive Inspection of Fighter and Attack Aircraft*, R. J. Lord, No. 6, p 733
- Inclusions in Nuclear Fuel Pin End-Plug Welds, Radiographic Detection of Tungsten*, J. P. Panakkal, K. N. Chandrasekharan, and J. K. Ghosh, No. 8, p 1005
- Indirect Shear-Wave Distance Calibration Using the IIFW Block (Back to Basics)*, W. S. Burkle, No. 11, p 1374
- Influence of the Pulser on the Ultrasonic Spectrum: The Results of an Experiment*, G. J. Posakony, No. 4, p 413
- Ingenuity in X-Ray Recording Mediums (Notes on Basics)*, J. A. Segel, No. 9, p 1060
- Inspection for Hydrogen Damage in Boiler Waterwall Tubes (NDT Solution)*, G. A. Lamping, No. 10, p 1164
- Inspection of Composite Rocket Motor Cases Using Acoustic Emission*, D. J. McNally, No. 6, p 728
- Inspection of Composites Using the Automated Ultrasonic Scanning System (AUSS)*, T. S. Jones, No. 6, p 746
- Inspection of Corroded Materials (NDT Solution)*, A. S. Birring, No. 9, p 1054
- Inspection of Wire Ropes in Service, The: A Critical Review (Back to Basics and NDT Solution)*, H. R. Weischedel, No. 13, p 1592
- Interference Fit, Ultrasonic Characterization of an*, G. Mott and B. J. Taszarek, No. 8, p 990
- International System (SI) of Units in Gamma-Radiographic Inspection, The (Back to Basics)*, P. Lahure, No. 8, p 920; errata, No. 12, p 1484
- Lamb Wave Monitoring of Spot Welds, On-Line Ultrasonic*, S. I. Rokhlin, R. J. Mayhan, and L. Adler, No. 7, p 879
- Laminate Coupons, Monitoring Acoustic Emission during Quasi-static Loading-Unloading Cycles of Filament-Wound Graphite-Epoxy*, J. Awerbuch, M. R. Gorman, and M. Madhukar, No. 6, p 754
- Layered Joints, Ultrasonic Evaluation of the Adhesion Degree in*, A. Pilarski, No. 6, p 765
- Layered Materials, Thermoelastic Inspection of: Dynamic Analysis*, P. Cielo, X. Maldague, G. Rousset, and C. K. Jen, No. 9, p 1111
- Lead Screens, Save Your Old (Notes on Basics)*, J. Allgood, No. 9, p 1066
- Leakage Field Method of Nondestructive Testing (Part 1), On the Way from the "Know-how" to the "Know-why" in the Magnetic*, F. Förster, No. 10, p 1154
- Leakage Field Method of Nondestructive Testing (Part 2), On the Way from the "Know-how" to the "Know-why" in the Magnetic*, F. Förster, No. 11, p 1398
- Lift-off, Two-Frequency Eddy Current Instrument for Measuring the Thickness of Zircaloy Cladding on Uranium under Conditions of Varying*, J. M. Prince, L. D. Reid, and D. L. Lessor, No. 12, p 1562
- Liquid Penetrant Testing, A Technique to Improve Validity in the Measurement of Discontinuity Sizes When Using (Notes on Basics)*, L. C. Love, No. 9, p 1058
- Location System, A Simple and Effective Acoustic Emission Source (Technical Note)*, M. Barsky and N. N. Hsu, No. 1, p 108

- Low-Melting Alloys Used as Ultrasonic Couplants at High Temperature*, M. A. Mahmoud, No. 2, p 196
- Low-energy Radiography of Composite Materials, A Brief Look at the (Back to Basics)*, G. L. Becker, No. 6, p 596
- Machine Sorting of Eddy Current Data, Template Matching—An Approach for the*, S. D. Brown, No. 12, p 1553
- Machine Tool Industry, Acoustic Emission in the*, S. Vahaviolos, No. 1, p 44
- Magnetic Aids in Contact Ultrasonic Testing (Notes on Basics)*, C. S. Hendzel, No. 9, p 1062
- Magnetic Leakage Field Method of Nondestructive Testing (Part 1), On the Way from the "Know-how" to the "Know-why" in the*, F. Förster, No. 10, p 1154
- Magnetic Leakage Field Method of Nondestructive Testing (Part 2), On the Way from the "Know-how" to the "Know-why" in the*, F. Förster, No. 11, p 1398
- Materials Science and Technology Experimental Methods, Treatise on (Book Review)*, G. V. Blessing, No. 4, p 359
- Measurement of Stress with Surface Waves*, D. Husson, S. D. Bennett, and G. S. Kino, No. 1, p 92
- Measurement of Ultrasonic Velocity Using Phase-Slope and Cross-Correlation Methods*, D. R. Hull, H. E. Kautz, and A. Vary, No. 11, p 1455
- Microcracks in Composites, High-Resolution Imaging of*, T. J. Moran, R. L. Crane, and R. J. Andrews, No. 5, p 536
- Microradiography to Characterize Structural Ceramics*, H. Berger and D. Kupperman, No. 2, p 201
- Monitoring Acoustic Emission during Quasi-static Loading-Unloading Cycles of Filament-Wound Graphite-Epoxy Laminate Coupons*, J. Awerbuch, M. R. Gorman, and M. Madhukar, No. 6, p 754
- Multifrequency Eddy Current Examination of Seam Weld in Steel Sheath*, J. H. Smith, C. V. Dodd, and L. D. Chitwood, No. 12, p 1566
- Multifrequency, Think (Back to Basics)*, L. de la Pintiere, No. 2, p 152
- NDT by RTD: The Start and Development of Nondestructive Testing in the Netherlands (NDT—The Yesteryears)*, A. de Sterke, No. 10, p 1168
- Near Real-Time Radiologic Corrosion Monitoring of Arctic Petroleum Gathering Lines (Technical Note)*, P. W. Lott and J. Lott, No. 4, p 408
- Near Real-Time Radiologic Corrosion Monitoring of Arctic Petroleum Gathering Lines (Technical Note)*, P. W. Lott and J. Lott, No. 4, p 408
- Necessity: The Mother of Acoustic Emission Testing (1961-72) (NDT—The Yesteryears)*, A. T. Green, No. 6, p 600
- Netherlands, NDT by RTD: The Start and Development of Nondestructive Testing in the (NDT—The Yesteryears)*, A. de Sterke, No. 10, p 1168
- Nondestructive Testing Sheds Light on Preserving America's Past*, C. M. Berntson, No. 10, p 1180
- Nuclear Fuel Pin End-Plug Welds, Radiographic Detection of Tungsten Inclusions in*, J. P. Panakkal, K. N. Chandrasekharan, and J. K. Ghosh, No. 8, p 1005
- On the Relation between Ultrasonic Attenuation and Fracture Toughness in Type 403 Stainless Steel*, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- On the Way from the "Know-how" to the "Know-why" in the Magnetic Leakage Field Method of Nondestructive Testing (Part 1)*, F. Förster, No. 10, p 1154
- On the Way from the "Know-how" to the "Know-why" in the Magnetic Leakage Field Method of Nondestructive Testing (Part 2)*, F. Förster, No. 11, p 1398
- On-Line Eddy Current System for the Quality Evaluation of Hot Rods*, An, M. Cousin, No. 13, p 1649
- On-Line Ultrasonic Lamb Wave Monitoring of Spot Welds*, S. I. Rokhlin, R. J. Mayhan, and L. Adler, No. 7, p 879
- Origins of Electromagnetic Testing, The (NDT—The Yesteryears)*, R. C. McMaster, No. 8, p 946
- Parameters for Ultrasonic Head-Waves in Railroad Rail, Zero-Force Travel-Time (Technical Note)*, D. E. Bray and T. Leon-Salamanca, No. 7, p 854
- Penetrant Inspection, Etching for Localized (Notes on Basics)*, R. W. Engelbart, No. 9, p 1062
- Penetrant Testing, A Technique to Improve Validity in the Measurement of Discontinuity Sizes When Using Liquid (Notes on Basics)*, L. C. Love, No. 9, p 1058
- Penetration, Eddy Current Standard Depth of*, D. J. Hagemmaier, No. 11, p 1458
- Personnel, Alternative Philosophy and Requirements for Certifying NDT Level III (Opinion Paper)*, J. C. Spanner, Sr., No. 11, p 1392
- Petroleum Gathering Lines, Near Real-Time Radiologic Corrosion Monitoring of Arctic (Technical Note)*, P. W. Lott and J. Lott, No. 4, p 408
- Phase-Slope and Cross-Correlation Methods, Measurement of Ultrasonic Velocity Using*, D. R. Hull, H. E. Kautz, and A. Vary, No. 11, p 1455
- Physically Based Ultrasonic Feature Mapping for Anomaly Classification in Composite Materials*, J. B. Nestleroth, J. L. Rose, M. Bashyam, and K. Subramanian, No. 5, p 541
- Pipeline Welds, A Gamma-Radiographer of (NDT—The Yesteryears)*, P. O. Moore, No. 9, p 1084
- Plasticity of 7075-T6 Aluminum, Amplitude Distribution Analysis for b-Value Relationship to the*, A. L. Phillips, V. G. Godinez, and S. W. Stafford, No. 4, p 420
- Plates with Fine Tight Cracks, Technique for Producing Test (Back to Basics)*, R. W. Kruzic and C. N. Sherlock, No. 9, p 1044
- Present and Future of Eddy Current Testing, The (Back to Basics)*, R. C. McMaster, No. 12, p 1512
- Problems in the Eddy Current Characterization of Temper Embrittlement*, W. G. Clark, Jr., and W. R. Junker, No. 12, p 1546
- Promising Quantitative Nondestructive Evaluation Techniques for Composite Materials*, J. H. Williams, Jr., and S. S. Lee, No. 5, p 561
- Propagation Principles in Composite Material Inspection, Ultrasonic Wave (Back to Basics)*, J. L. Rose, No. 5, p 481
- Prototype of an In-Service Inspection System (ISIS) for Composites*, F. H. Chang, J. R. Bell, J. L. Brown, and R. W. Haile, No. 9, p 1117
- Pulsed Ultrasonic Flaw Detection Model*, S. Serabian and J. C. O'Callahan, No. 7, p 873
- Pulser on the Ultrasonic Spectrum, Influence of the: The Results of an Experiment*, G. J. Posakony, No. 4, p 413
- Quantitative Nondestructive Evaluation Techniques for Composite Materials, Promising*, J. H. Williams, Jr., and S. S. Lee, No. 5, p 561
- Quick and Accurate Method for the Selection of Filters for Use with Be-window X-ray Units, A (Back to Basics)*, D. McBride, No. 1, p 24
- RTD, NDT by: The Start and Development of Nondestructive Testing in the Netherlands (NDT—The Yesteryears)*, A. de Sterke, No. 10, p 1168
- Radar for Inspecting Brick and Concrete Tunnels*, FM, O. Tranbarger, No. 10, p 1254
- Radio/Microwave Tower Inspection Services (Notes on Basics)*, S. A. Viaclovsky and D. W. Knight, No. 9, p 1063
- Radiograph, Determination of Thickness Variations by Measuring Film Densities on Two Adjacent Areas of a (Back to Basics)*, P. Lahure, No. 4, p 354
- Radiographic Detection of Tungsten Inclusions in Nuclear Fuel Pin End-Plug Welds*, J. P. Panakkal, K. N. Chandrasekharan, and J. K. Ghosh, No. 8, p 1005
- Radiographic Inspection and Experimental and Theoretical Studies on Unsharpness and Sensitivity Requirements, Comparison of Codes and Standards for*, H. Dölle and K. Lemmer, No. 2, p 188
- Radiography Aids Renovation of Capitol*, No. 10, p 1148
- Radiography of Composite Materials, A Brief Look at the Low-energy (Back to Basics)*, G. L. Becker, No. 6, p 596
- Radiography, Aerospace—The Last Three Decades (Lester*

- Honor Lecture), D. J. Hagmaier, No. 10, p 1262
- Radiologic Corrosion Monitoring of Arctic Petroleum Gathering Lines, Near Real-Time* (Technical Note), P. W. Lott and J. Lott, No. 4, p 408
- Rail Testing Cars, 1927-60, Fishing for Fissures: Sources for the History of* (NDT—The Yesteryears), J. M. Wickre, No. 4, p 372
- Railroad Rail, Zero-Force Travel-Time Parameters for Ultrasonic Head-Waves in* (Technical Note), D. E. Bray and T. Leon-Salamanca, No. 7, p 854
- Real-Time Radiologic Corrosion Monitoring of Arctic Petroleum Gathering Lines, Near* (Technical Note), P. W. Lott and J. Lott, No. 4, p 408
- Recent Developments in the Eddy Current Examination of Air Conditioner Tubing*, A. G. Julier, No. 13, p 1655
- Recording Mediums, Ingenuity in X-Ray* (Notes on Basics), J. A. Segel, No. 9, p 1060
- Reflection Coefficient in Precision Measurement of Trigonometric Relations for the Ultrasonic Inspection of Tubular Goods, The Role of the* (NDT Solution), J. Johnson, No. 12, p 1488
- Relief in X-Radiography, Studies on*, P. R. Vaidya, B. Ghosh, and R. Krishnan, No. 11, p 1443
- Rocket Motor Case during Hydroproof, Acoustic Emission Monitoring of a Filament-Wound Composite* (Technical Note), E. v. K. Hill and T. J. Lewis, No. 7, p 859
- Rocket Motor Cases Using Acoustic Emission, Inspection of Composite*, D. J. McNally, No. 6, p 728
- Rods, An On-Line Eddy Current System for the Quality Evaluation of Hot*, M. Cousin, No. 13, p 1649
- Role of the Reflection Coefficient in Precision Measurement of Trigonometric Relations for the Ultrasonic Inspection of Tubular Goods, The* (NDT Solution), J. Johnson, No. 12, p 1488
- Save Your Old Lead Screens* (Notes on Basics), J. Allgood, No. 9, p 1066
- Screens, Save Your Old Lead* (Notes on Basics), J. Allgood, No. 9, p 1066
- Seam Weld in Steel Sheath, Multifrequency Eddy Current Examination of*, J. H. Smith, C. V. Dodd, and L. D. Chitwood, No. 12, p 1566
- Sensitivity Requirements, Comparison of Codes and Standards for Radiographic Inspection and Experimental and Theoretical Studies on Unsharpness and*, H. Dölle and K. Lemmer, No. 2, p 188
- Shear-Wave Distance Calibration Using the IIW Block, Indirect* (Back to Basics), W. S. Burkle, No. 11, p 1374
- Signal Processing to Stress Wave Factor Analysis, Application of Homomorphic*, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 11, p 1446
- Simple and Effective Acoustic Emission Source Location System*, A (Technical Note), M. Barsky and N. N. Hsu, No. 1, p 108
- Sizes When Using Liquid Penetrant Testing, A Technique to Improve Validity in the Measurement of Discontinuity* (Notes on Basics), L. C. Love, No. 9, p 1058
- Sorting of Eddy Current Data, Template Matching—An Approach for the Machine*, S. D. Brown, No. 12, p 1553
- Source Location System, A Simple and Effective Acoustic Emission* (Technical Note), M. Barsky and N. N. Hsu, No. 1, p 108
- Spot Welds, On-Line Ultrasonic Lamb Wave Monitoring of*, S. I. Rokhlin, R. J. Mayhan, and L. Adler, No. 7, p 879
- Stainless Steel, On the Relation between Ultrasonic Attenuation and Fracture Toughness in Type 403*, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- Standard Depth of Penetration, Eddy Current*, D. J. Hagmaier, No. 11, p 1458
- Standards for Radiographic Inspection and Experimental and Theoretical Studies on Unsharpness and Sensitivity Requirements, Comparison of Codes and*, H. Dölle and K. Lemmer, No. 2, p 188
- Steel Sheath, Multifrequency Eddy Current Examination of Seam Weld in*, J. H. Smith, C. V. Dodd, and L. D. Chitwood, No. 12, p 1566
- Steel Tubing, Examination of Carbon* (NDT Solution), S. Rowland, No. 11, p 1382
- Steel, On the Relation between Ultrasonic Attenuation and Fracture Toughness in Type 403 Stainless*, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- Stress Wave Factor Analysis, Application of Homomorphic Signal Processing to*, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 11, p 1446
- Stress with Surface Waves, Measurement of*, D. Husson, S. D. Bennett, and G. S. Kino, No. 1, p 92
- Studies on Relief in X-Radiography*, P. R. Vaidya, B. Ghosh, and R. Krishnan, No. 11, p 1443
- Surface Waves, Measurement of Stress with*, D. Husson, S. D. Bennett, and G. S. Kino, No. 1, p 92
- Technician Safety, Gamma-Radiography: (Back to Basics)*, R. L. Miller, Jr., No. 7, p 806
- Technician, An Alternative for the Educational Growth of the NDT* (Robert B. Oliver Scholarship Paper), M. T. Getzke, No. 9, p 1090
- Technicians, Three New Calculator Programs for Ultrasonic* (Notes on Basics), A. M. Wenzig, Jr., No. 9, p 1064
- Technique for Producing Test Plates with Fine Tight Cracks* (Back to Basics), R. W. Kruzic and C. N. Sherlock, No. 9, p 1044
- Technique to Improve Validity in the Measurement of Discontinuity Sizes When Using Liquid Penetrant Testing, A* (Notes on Basics), L. C. Love, No. 9, p 1058
- Temper Embrittlement, Problems in the Eddy Current Characterization of*, W. G. Clark, Jr., and W. R. Junker, No. 12, p 1546
- Template Matching—An Approach for the Machine Sorting of Eddy Current Data*, S. D. Brown, No. 12, p 1553
- Test Plates with Fine Tight Cracks, Technique for Producing* (Back to Basics), R. W. Kruzic and C. N. Sherlock, No. 9, p 1044
- Thermoelastic Inspection of Layered Materials: Dynamic Analysis*, P. Cielo, X. Maldague, G. Rousset, and C. K. Jen, No. 9, p 1111
- Thermographic Methods for Nondestructive Evaluation of Composite Tubular Parts, Ultrasonic and*, A. J. Rogovsky, No. 5, p 547
- Thickness Variations by Measuring Film Densities on Two Adjacent Areas of a Radiograph, Determination of* (Back to Basics), P. Lahure, No. 4, p 354
- Thickness of Zircaloy Cladding on Uranium under Conditions of Varying Lift-off, Two-Frequency Eddy Current Instrument for Measuring the*, J. M. Prince, L. D. Reid, and D. L. Lessor, No. 12, p 1562
- Think Multifrequency* (Back to Basics), L. de la Pintiére, No. 2, p 152
- Three New Calculator Programs for Ultrasonic Technicians* (Notes on Basics), A. M. Wenzig, Jr., No. 9, p 1064
- Tower Inspection Services, Radio/Microwave* (Notes on Basics), S. A. Viaclovsky and D. W. Knight, No. 9, p 1063
- Travel-Time Parameters for Ultrasonic Head-Waves in Railroad Rail, Zero-Force* (Technical Note), D. E. Bray and T. Leon-Salamanca, No. 7, p 854
- Treatise on Materials Science and Technology Experimental Methods* (Book Review), G. V. Blessing, No. 4, p 359
- Trigonometric Relations for the Ultrasonic Inspection of Tubular Goods, The Role of the Reflection Coefficient in Precision Measurement of* (NDT Solution), J. Johnson, No. 12, p 1488
- Tubes, Inspection for Hydrogen Damage in Boiler Waterwall* (NDT Solution), G. A. Lamping, No. 10, p 1164
- Tubing, 1929-60, Eddy Current Testing of Steel* (NDT—The Yesteryears), W. A. Black, No. 12, p 1490
- Tubing, Examination of Carbon Steel* (NDT Solution), S. Rowland, No. 11, p 1382

- Tubing, Recent Developments in the Eddy Current Examination of Air Conditioner*, A. G. Julier, No. 13, p 1655
- Tubular Goods, The Role of the Reflection Coefficient in Precision Measurement of Trigonometric Relations for the Ultrasonic Inspection of (NDT Solution)*, J. Johnson, No. 12, p 1488
- Tubular Parts, Ultrasonic and Thermographic Methods for Nondestructive Evaluation of Composite*, A. J. Rogovsky, No. 5, p 547
- Tungsten Inclusions in Nuclear Fuel Pin End-Plug Welds, Radiographic Detection of*, J. P. Panakkal, K. N. Chandrasekharan, and J. K. Ghosh, No. 8, p 1005
- Tunnels, FM Radar for Inspecting Brick and Concrete*, O. Tranbarger, No. 10, p 1254
- Two-Frequency Eddy Current Instrument for Measuring the Thickness of Zircaloy Cladding on Uranium under Conditions of Varying Lift-off*, J. M. Prince, L. D. Reid, and D. L. Lessor, No. 12, p 1562
- Ultrasonic Attenuation and Fracture Toughness in Type 403 Stainless Steel, On the Relation between*, F. Nadeau, J. F. Bussière, and G. Van Drunen, No. 1, p 101
- Ultrasonic Attenuation*, E. R. Generazio, No. 8, p 995
- Ultrasonic Characterization of an Interference Fit*, G. Mott and B. J. Tazsarek, No. 8, p 990
- Ultrasonic Couplants at High Temperature, Low-Melting Alloys Used as*, M. A. Mahmoud, No. 2, p 196
- Ultrasonic Evaluation of the Adhesion Degree in Layered Joints*, A. Pilarski, No. 6, p 765
- Ultrasonic Feature Mapping for Anomaly Classification in Composite Materials, Physically Based*, J. B. Nestleroth, J. L. Rose, M. Bashyam, and K. Subramanian, No. 5, p 541
- Ultrasonic Flaw Detection Model, Pulsed*, S. Serabian and J. C. O'Callahan, No. 7, p 873
- Ultrasonic Frequency Response for Flaw Detection, Analysis of the: A Technical Review (Technical Note)*, A. Sinclair, No. 1, p 105
- Ultrasonic Head-Waves in Railroad Rail, Zero-Force Travel-Time Parameters for (Technical Note)*, D. E. Bray and T. Leon-Salamanca, No. 7, p 854
- Ultrasonic Identification of Weld Discontinuities (Notes on Basics)*, R. Wappel, No. 9, p 1060
- Ultrasonic Inspection of Carbon-Epoxy Composites*, D. J. Hagemmaier and R. H. Fassbender, No. 5, p 556
- Ultrasonic Inspection of Tubular Goods, The Role of the Reflection Coefficient in Precision Measurement of Trigonometric Relations for the (NDT Solution)*, J. Johnson, No. 12, p 1488
- Ultrasonic Lamb Wave Monitoring of Spot Welds, On-Line*, S. I. Rokhlin, R. J. Mayhan, and L. Adler, No. 7, p 879
- Ultrasonic Scanning System (AUSS), Inspection of Composites Using the Automated*, T. S. Jones, No. 6, p 746
- Ultrasonic Spectrum, Influence of the Pulser on the: The Results of an Experiment*, G. J. Posakony, No. 4, p 413
- Ultrasonic Technicians, Three New Calculator Programs for (Notes on Basics)*, A. M. Wenzig, Jr., No. 9, p 1064
- Ultrasonic Testing; 1945-57, The Water's Fine: The Origin of Immersion (NDT—The Yesteryears)*, P. O. Moore, No. 1, p 60
- Ultrasonic Testing, Magnetic Aids in Contact (Notes on Basics)*, C. S. Hendzel, No. 9, p 1062
- Ultrasonic Velocity Using Phase-Slope and Cross-Correlation Methods, Measurement of*, D. R. Hull, H. E. Kautz, and A. Vary, No. 11, p 1455
- Ultrasonic Wave Propagation Principles in Composite Material Inspection (Back to Basics)*, J. L. Rose, No. 5, p 481
- Ultrasonic and Thermographic Methods for Nondestructive Evaluation of Composite Tubular Parts*, A. J. Rogovsky, No. 5, p 547
- Ultrasonics for Evaluation of Composite Material Response, Analytical*, E. G. Henneke, II, and J. C. Duke, Jr., No. 6, p 740
- Units in Gamma-Radiographic Inspection, The International System (SI) of (Back to Basics)*, P. Lahure, No. 8, p 920; errata, No. 12, p 1484
- Unsharpness and Sensitivity Requirements, Comparison of Codes and Standards for Radiographic Inspection and Experimental and Theoretical Studies on*, H. Dölle and K. Lemmer, No. 2, p 188
- Validity in the Measurement of Discontinuity Sizes When Using Liquid Penetrant Testing, A Technique to Improve (Notes on Basics)*, L. C. Love, No. 9, p 1058
- Velocity Using Phase-Slope and Cross-Correlation Methods, Measurement of Ultrasonic*, D. R. Hull, H. E. Kautz, and A. Vary, No. 11, p 1455
- Vision Testing, Color—Who Needs It? (Back to Basics)*, W. H. Bailey, No. 10, p 1194
- Water's Fine: The Origin of Immersion Ultrasonic Testing, 1945-57, The (NDT—The Yesteryears)*, P. O. Moore, No. 1, p 60
- Wave Factor Analysis, Application of Homomorphic Signal Processing to Stress*, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 11, p 1446
- Wave Propagation Principles in Composite Material Inspection, Ultrasonic (Back to Basics)*, J. L. Rose, No. 5, p 481
- Waves, Measurement of Stress with Surface*, D. Husson, S. D. Bennett, and G. S. Kino, No. 1, p 92
- Weld Discontinuities, Ultrasonic Identification of (Notes on Basics)*, R. Wappel, No. 9, p 1060
- Weld in Steel Sheath, Multifrequency Eddy Current Examination of Seam*, J. H. Smith, C. V. Dodd, and L. D. Chitwood, No. 12, p 1566
- Welds, A Gamma-Radiographer of Pipeline (NDT—The Yesteryears)*, P. O. Moore, No. 9, p 1084
- Welds, On-Line Ultrasonic Lamb Wave Monitoring of Spot*, S. I. Rokhlin, R. J. Mayhan, and L. Adler, No. 7, p 879
- Welds, Radiographic Detection of Tungsten Inclusions in Nuclear Fuel Pin End-Plug*, J. P. Panakkal, K. N. Chandrasekharan, and J. K. Ghosh, No. 8, p 1005
- Wire Ropes in Service, The Inspection of: A Critical Review (Back to Basics and NDT Solution)*, H. R. Weischedel, No. 13, p 1592
- X-Radiography in Ballistics, Flash*, M. Held, No. 9, p 1104
- X-Radiography, Studies on Relief in*, P. R. Vaidya, B. Ghosh, and R. Krishnan, No. 11, p 1443
- X-Ray Recording Mediums, Ingenuity in (Notes on Basics)*, J. A. Segel, No. 9, p 1060
- X-ray Units, A Quick and Accurate Method for the Selection of Filters for Use with Be-window (Back to Basics)*, D. McBride, No. 1, p 24
- Zero-Force Travel-Time Parameters for Ultrasonic Head-Waves in Railroad Rail (Technical Note)*, D. E. Bray and T. Leon-Salamanca, No. 7, p 854
- Zircaloy Cladding on Uranium under Conditions of Varying Lift-off, Two-Frequency Eddy Current Instrument for Measuring the Thickness of*, J. M. Prince, L. D. Reid, and D. L. Lessor, No. 12, p 1562

Author Index for Volume 43, Materials Evaluation

- Adler, L. (see Rokhlin, S. I.), No. 7, p 879
- Allgood, J., *Save Your Old Lead Screens* (Notes on Basics), No. 9, p 1066
- Andrews, R. J. (see Moran, T. J.), No. 5, p 536
- Awerbuch, J., M. R. Gorman, and M. Madhukar, *Monitoring Acoustic Emission during Quasi-static Loading-Unloading Cycles of Filament-Wound Graphite-Epoxy Laminate Coupons*, No. 6, p 754
- Bailey, W. H., *Color Vision Testing—Who Needs It?* (Back to Basics), No. 10, p 1194
- Bar-Cohen, Y. (see Hagemai, D. J.), No. 4, p 426
- Barsky, M., and N. N. Hsu, *A Simple and Effective Acoustic Emission Source Location System* (Technical Note), No. 1, p 108
- Bashyam, M. (see Nestleroth, J. B.), No. 5, p 541
- Becker, G. L., *A Brief Look at the Low-energy Radiography of Composite Materials* (Back to Basics), No. 6, p 596
- Bell, J. R. (see Chang, F. H.), No. 9, p 1117
- Bennett, S. D. (see Husson, D.), No. 1, p 92
- Berger, H., and D. Kupperman, *Microradiography to Characterize Structural Ceramics*, No. 2, p 201
- Berntson, C. M., *Nondestructive Testing Sheds Light on Preserving America's Past*, No. 10, p 1180
- Birring, A. S., *Inspection of Corroded Materials* (NDT Solution), No. 9, p 1054
- Black, W. A., *Eddy Current Testing of Steel Tubing, 1929-60* (NDT—The Yesteryears), No. 12, p 1490
- Blessing, G. V., *Treatise on Materials Science and Technology Experimental Methods* (Book Review), No. 4, p 359
- Bray, D. E., and T. Leon-Salamanca, *Zero-Force Travel-Time Parameters for Ultrasonic Head-Waves in Railroad Rail* (Technical Note), No. 7, p 854
- Brown, J. L. (see Chang, F. H.), No. 9, p 1117
- Brown, S. D., *Template Matching—An Approach for the Machine Sorting of Eddy Current Data*, No. 12, p 1553
- Burke, W. S., *Indirect Shear-Wave Distance Calibration Using the IIW Block* (Back to Basics), No. 11, p 1374
- Bussière, J. F. (see Nadeau, F.), No. 1, p 101
- Chandrasekharan, K. N. (see Panakkal, J. P.), No. 8, p 1005
- Chang, F. H., J. R. Bell, J. L. Brown, and R. W. Haile, *Prototype of an In-Service Inspection System (ISIS) for Composites*, No. 9, p 1117
- Chern, E. J., *Automated Eddy Current Hole Measurements*, No. 13, p 1644
- Chitwood, L. D. (see J. H. Smith), No. 12, p 1566
- Cielo, P., X. Maldague, G. Rousset, and C. K. Jen, *Thermoelastic Inspection of Layered Materials: Dynamic Analysis*, No. 9, p 1111
- Clark, W. G., Jr., and W. R. Junker, *Problems in the Eddy Current Characterization of Temper Embrittlement*, No. 12, p 1546
- Cousin, M., *An On-Line Eddy Current System for the Quality Evaluation of Hot Rods*, No. 13, p 1649
- Crane, R. L. (see Moran, T. J.), No. 5, p 536
- de la Pintiére, L., *Think Multifrequency* (Back to Basics), No. 2, p 152
- de Sterke, A., *NDT by RTD: The Start and Development of Nondestructive Testing in the Netherlands* (NDT—The Yesteryears), No. 10, p 1168
- Dodd, C. V. (see J. H. Smith), No. 12, p 1566
- Dölle, H., and K. Lemmer, *Comparison of Codes and Standards for Radiographic Inspection and Experimental and Theoretical Studies on Unsharpness and Sensitivity Requirements*, No. 2, p 188 [see also No. 13, p 1590]
- Duke, J. C., Jr. (see Henneke, E. G., II), No. 6, p 740
- Engelbart, R. W., *Etching for Localized Penetrant Inspection* (Notes on Basics), No. 9, p 1062
- Fassbender, R. H. (see Hagemai, D. J.), No. 5, p 556
- Förster, F., *On the Way from the "Know-how" to the "Know-why" in the Magnetic Leakage Field Method of Nondestructive Testing (Part 1)*, No. 10, p 1154
- , *On the Way from the "Know-how" to the "Know-why" in the Magnetic Leakage Field Method of Nondestructive Testing (Part 2)*, No. 11, p 1398
- Generazio, E. R., *The Role of the Reflection Coefficient in Precision Measurement of Ultrasonic Attenuation*, No. 8, p 995
- Getzke, M. T., *An Alternative for the Educational Growth of the NDT Technician* (Robert B. Oliver Scholarship Paper), No. 9, p 1090
- Ghosh, B. (see Vaidya, P. R.), No. 11, p 1443
- Ghosh, J. K. (see Panakkal, J. P.), No. 8, p 1005
- Glass, J. T., and R. E. Green, Jr., *Acoustic Emission during Deformation and Fracture of Three Naval Alloy Steels*, No. 7, p 864
- Godinez, V. G. (see Phillips, A. L.), No. 4, p 420
- Gorman, M. R. (see Awerbuch, J.), No. 6, p 754
- Green, A. T., *Necessity: The Mother of Acoustic Emission Testing (1961-72)* (NDT—The Yesteryears), No. 6, p 600
- Green, R. E., Jr. (see Glass, J. T.), No. 7, p 864
- Hagemai, D. J., *Aerospace Radiography—The Last Three Decades* (Lester Honor Lecture), No. 10, p 1262
- , *Eddy Current Standard Depth of Penetration*, No. 11, p 1458
- , and R. H. Fassbender, *Ultrasonic Inspection of Carbon-Epoxy Composites*, No. 5, p 556
- , A. H. Wendelbo, Jr., and Y. Bar-Cohen, *Aircraft Corrosion and Detection Methods*, No. 4, p 426
- Haile, R. W. (see Chang, F. H.), No. 9, p 1117
- Held, M., *Flash X-Radiography in Ballistics*, No. 9, p 1104
- Hendzel, C. S., *Magnetic Aids in Contact Ultrasonic Testing* (Notes on Basics), No. 9, p 1062
- Henneke, E. G., II, and J. C. Duke, Jr., *Analytical Ultrasonics for Evaluation of Composite Material Response*, No. 6, p 740
- Hill, E. v. K., and T. J. Lewis, *Acoustic Emission Monitoring of a Filament-Wound Composite Rocket Motor Case during Hydroproof* (Technical Note), No. 7, p 859
- Hovland, H., *Developments in Field X-Radiography, 1931-62* (NDT—The Yesteryears), No. 11, p 1386
- Hsu, N. N. (see Barsky, M.), No. 1, p 108
- Hull, D. R., H. E. Kautz, and A. Vary, *Measurement of Ultrasonic Velocity Using Phase-Slope and Cross-Correlation Methods*, No. 11, p 1455
- Husson, D., S. D. Bennett, and G. S. Kino, *Measurement of Stress with Surface Waves*, No. 1, p 92
- Iddings, F. A., *Composites* (Back to Basics), No. 5, p 480
- Jen, C. K. (see Cielo, P.), No. 9, p 1111
- Johnson, J., "Trigonometric Relations for the Ultrasonic Inspection of Tubular Goods" (NDT Solution), No. 12, p 1488
- Jones, T. S., *Inspection of Composites Using the Automated Ultrasonic Scanning System (AUSS)*, No. 6, p 746
- Julier, A. G., *Recent Developments in the Eddy Current Examination of Air Conditioner Tubing*, No. 13, p 1655
- Junker, W. R. (see Clark, W. G., Jr.), No. 12, p 1546
- Karagülle, H., J. H. Williams, Jr., and S. S. Lee, *Application of Homomorphic Signal Processing to Stress Wave Factor Analysis*, No. 11, p 1446
- Kautz, H. E. (see Hull, D. R.), No. 11, p 1455
- Kino, G. S. (see Husson, D.), No. 1, p 92
- Knight, D. W. (see Viaclovsky, S. A.), No. 9, p 1063
- Krishnan, R. (see Vaidya, P. R.), No. 11, p 1443
- Krizmanich, W. J., *Discontinuities Hidden Word Puzzle Answer*, No. 1, p 80

- Krolicki, R. P., *Gamma-Radiography of High-Temperature and Corroded Objects* (Technical Note), No. 8, p 1008
- , *Hermit's Meditations—An Opinion Paper*, No. 11, p 1408
- Kruzic, R. W., and C. N. Sherlock, *Technique for Producing Test Plates with Fine Tight Cracks* (Back to Basics), No. 9, p 1044
- Kupperman, D. (see Berger, H.), No. 2, p 201
- Lahure, P., *Determination of Thickness Variations by Measuring Film Densities on Two Adjacent Areas of a Radiograph* (Back to Basics), No. 4, p 354; erratum, No. 7, p 844
- , *The International System (SI) of Units in Gamma-Radiographic Inspection* (Back to Basics), No. 8, p 920; errata, No. 12, p 1484
- Lamping, G. A., *Inspection for Hydrogen Damage in Boiler Waterwall Tubes* (NDT Solution), No. 10, p 1164
- Lee, S. S. (see Williams, J. H., Jr.), No. 5, p 561
- (see Karagülle, H.), No. 11, p 1446
- Lemmer, K. (see Dölle, H.), No. 2, p 188
- Leon-Salamanca, T. (see Bray, D. E.), No. 7, p 854
- Lessor, D. L. (see Prince, J. M.), No. 12, p 1562
- Lewis, T. J. (see Hill, E. v. K.), No. 7, p 859
- Lord, R. J., *In-Service Nondestructive Inspection of Fighter and Attack Aircraft*, No. 6, p 733
- Lott, J. (see Lott, P. W.), No. 4, p 408
- Lott, P. W., and J. Lott, *Near Real-Time Radiologic Corrosion Monitoring of Arctic Petroleum Gathering Lines* (Technical Note), No. 4, p 408
- Love, L. C., *A Technique to Improve Validity in the Measurement of Discontinuity Sizes When Using Liquid Penetrant Testing* (Notes on Basics), No. 9, p 1058
- Madhukar, M. (see Awerbuch, J.), No. 6, p 754
- Mahmoud, M. A., *Low-Melting Alloys Used as Ultrasonic Couplants at High Temperature*, No. 2, p 196
- Maldague, X. (see Cielo, P.), No. 9, p 1111
- Mayhan, R. J. (see Rokhlin, S. I.), No. 7, p 879
- McBride, D., *A Quick and Accurate Method for the Selection of Filters for Use with Be-window X-ray Units* (Back to Basics), No. 1, p 24
- McGuire, R., *ASNT's Role in Certification*, No. 5, p 492
- McMaster, R. C., *The Origins of Electromagnetic Testing* (NDT—The Yesteryears), No. 8, p 946
- , *The Present and Future of Eddy Current Testing* (Back to Basics), No. 12, p 1512
- McNally, D. J., *Inspection of Composite Rocket Motor Cases Using Acoustic Emission*, No. 6, p 728
- Miller, R. L., Jr., *Gamma-Radiography: Technician Safety* (Back to Basics), No. 7, p 806
- Moore, P. O., *The Development of Boiler Inspection, 1866-1947* (NDT—The Yesteryears), No. 7, p 800
- , *A Gamma-Radiographer of Pipeline Welds* (NDT—The Yesteryears), No. 9, p 1084
- , *The Water's Fine: The Origin of Immersion Ultrasonic Testing, 1945-57* (NDT—The Yesteryears), No. 1, p 60
- Moran, T. J., R. L. Crane, and R. J. Andrews, *High-Resolution Imaging of Microcracks in Composites*, No. 5, p 536
- Mott, G., and B. J. Taszarek, *Ultrasonic Characterization of an Interference Fit*, No. 8, p 990
- Nadeau, F., J. F. Bussière, and G. Van Drunen, *On the Relation between Ultrasonic Attenuation and Fracture Toughness in Type 403 Stainless Steel*, No. 1, p 101
- Nestleroth, J. B., J. L. Rose, M. Bashyam, and K. Subramanian, *Physically Based Ultrasonic Feature Mapping for Anomaly Classification in Composite Materials*, No. 5, p 541
- O'Callahan, J. C. (see Serabian, S.), No. 7, p 873
- Panakkal, J. P., K. N. Chandrasekharan, and J. K. Ghosh, *Radiographic Detection of Tungsten Inclusions in Nuclear Fuel Pin End-Plug Welds*, No. 8, p 1005
- Pellicer, J., *General Application of Eddy Current Instruments to Detect and Measure Corrosion in Aircraft Skins*, No. 12, p 1542
- Phillips, A. L., V. G. Godinez, and S. W. Stafford, *Amplitude Distribution Analysis for b-Value Relationship to the Plasticity of 7075-T6 Aluminum*, No. 4, p 420
- Pilarski, A., *Ultrasonic Evaluation of the Adhesion Degree in Layered Joints*, No. 6, p 765
- Posakony, G. J., *Influence of the Pulser on the Ultrasonic Spectrum: The Results of an Experiment*, No. 4, p 413
- Prince, J. M., L. D. Reid, and D. L. Lessor, *Two-Frequency Eddy Current Instrument for Measuring the Thickness of Zircaloy Cladding on Uranium under Conditions of Varying Lift-off*, No. 12, p 1562
- Reid, L. D. (see Prince, J. M.), No. 12, p 1562
- Rogovsky, A. J., *Ultrasonic and Thermographic Methods for Nondestructive Evaluation of Composite Tubular Parts*, No. 5, p 547
- Rokhlin, S. I., R. J. Mayhan, and L. Adler, *On-Line Ultrasonic Lamb Wave Monitoring of Spot Welds*, No. 7, p 879
- Rose, J. L., *Ultrasonic Wave Propagation Principles in Composite Material Inspection* (Back to Basics), No. 5, p 481
- (see Nestleroth, J. B.), No. 5, p 541
- Rousset, G. (see Cielo, P.), No. 9, p 1111
- Rowland, S., *Examination of Carbon Steel Tubing* (NDT Solution), No. 11, p 1382
- Sabbagh, H. A., and S. N. Vernon, *Ferrite Core Eddy Current Probe Model: Description and Verification*, No. 2, p 184
- Segel, J. A., *Ingenuity in X-Ray Recording Mediums* (Notes on Basics), No. 9, p 1060
- Serabian, S., and J. C. O'Callahan, *Pulsed Ultrasonic Flaw Detection Model*, No. 7, p 873
- Sherlock, C. N. (see Kruzic, R. W.), No. 9, p 1044
- Sinclair, A., *Analysis of the Ultrasonic Frequency Response for Flaw Detection: A Technical Review* (Technical Note), No. 1, p 105
- Smith, E., *Characterization of EDM Notches and Real Fatigue Cracks in Flat Surfaces Using the Uniform Field Eddy Current Technique*, No. 13, p 1640
- Smith, J. H., C. V. Dodd, and L. D. Chitwood, *Multifrequency Eddy Current Examination of Seam Weld in Steel Sheath*, No. 12, p 1566
- Spanner, J. C., Sr., *Alternative Philosophy and Requirements for Certifying NDT Level III Personnel* (Opinion Paper), No. 11, p 1392
- Stafford, S. W. (see Phillips, A. L.), No. 4, p 420
- Subramanian, K. (see Nestleroth, J. B.), No. 5, p 541
- Taszarek, B. J. (see Mott, G.), No. 8, p 990
- Tranbarger, O., *FM Radar for Inspecting Brick and Concrete Tunnels*, No. 10, p 1254
- Vahaviolos, S., *Acoustic Emission in the Machine Tool Industry*, No. 1, p 44
- Vaidya, P. R., B. Ghosh, and R. Krishnan, *Studies on Relief in X-Radiography*, No. 11, p 1443
- Van Drunen, G. (see Nadeau, F.), No. 1, p 101
- Vary, A. (see D. R. Hull), No. 11, p 1455
- Vernon, S. N. (see Sabbagh, H. A.), No. 2, p 184
- Viaclovsky, S. A., and D. W. Knight, *Radio/Microwave Tower Inspection Services* (Notes on Basics), No. 9, p 1063
- Wappel, R., *Ultrasonic Identification of Weld Discontinuities* (Notes on Basics), No. 9, p 1060
- Weischedel, H. R., *The Inspection of Wire Ropes in Service* (Back to Basics/NDT Solution), No. 13, p 1592
- Wendelbo, Jr., A. H. (see Hagemaijer, D. J.), No. 4, p 426
- Wenzig, A. M., Jr., *Three New Calculator Programs for Ultrasonic Technicians* (Notes on Basics), No. 9, p 1064
- Wheeler, G., *Certification around the World*, No. 10, p 1198
- Wickre, J. M., *Fishing for Fissures: Sources for the History of Rail Testing Cars, 1927-60* (NDT—The Yesteryears), No. 4, p 372
- Williams, J. H., Jr., and S. S. Lee, *Promising Quantitative Nondestructive Evaluation Techniques for Composite Materials*, No. 5, p 561
- (see Karagülle, H.), No. 11, p 1446